

# Certificate of Analysis

Produced: Mar 26, 2026

Sample: 161071 Plantzz, 9000 FS 6000 CBG Tincture, Natural,60mL (Tincture) • Client: Green Star Labs • Batch: Pass



**Batch No.:** 260313  
**Matrix:** Tincture  
**Density:** 0.918 g/ml  
**Sample ID:** ICC-260318-37-002  
**Collected on:** Mar 18, 2026  
**Received on:** Mar 18, 2026  
**Sample Size:**  
**Package Size:** 56.7 g

**Batch Result:** Pass

<b>Potency</b>	Tested
<b>Metals</b>	Pass
<b>Microbial</b>	Pass

### Cannabinoid Overview

<b>Total THC:</b>	<b>80.5 mg/pkg</b>
<b>Total CBD:</b>	<b>9410 mg/pkg</b>
<b>Total Cannabinoids:</b>	<b>16100 mg/pkg</b>
<b>Sum of Cannabinoids:</b>	<b>16100 mg/pkg</b>

### POT-INST-005: POT-INST-005: Potency • Mar 25, 2026 13:54:00 PDT

Analyte	Amt (mg/pkg)	Amt (%)	Amt (mg/ml)	LOD/LOQ (mg/ml)	Pass/Fail	Analyte	Amt (mg/pkg)	Amt (%)	Amt (mg/ml)	LOD/LOQ (mg/ml)	Pass/Fail
CBC		ND	ND	0.111/0.333	N/A	CBT	62.4	0.110	1.01	0.0482/0.168	N/A
CBD	9410	16.6	152	0.0340/0.168	N/A	Δ <sup>8</sup> -THC		ND	ND	0.0273/0.168	N/A
CBDA		ND	ND	0.0812/0.243	N/A	Δ <sup>9</sup> -THC	80.5	0.142	1.30	0.0450/0.168	N/A
CBDV	44.5	0.0784	0.720	0.0269/0.168	N/A	THCA		ND	ND	0.0618/0.185	N/A
CBG	6520	11.5	106	0.0384/0.168	N/A	THCV		ND	ND	0.0207/0.168	N/A
CBGA		ND	ND	0.0599/0.180	N/A	<b>Total THC**</b>	80.5	0.142	1.30		N/A
CBL		ND	ND	0.0265/0.168	N/A	<b>Total CBD**</b>	9410	16.6	152		N/A
CBN		ND	ND	0.0384/0.168	N/A	<b>Total Cannabinoids**</b>	16100	28.4	261		N/A

\*\* Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids \* 0.877)

\*\* Total THC = Delta-10-THC + Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + THC-O-acetate + (THCA x 0.877)

\*\* Total CBD = CBD + (CBDA x 0.877)

NR= Not Reported, ND= Not Detected, \*Reported by Dry Mass\*; \*analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope\*  
 \*Density tested at a temperature range between 19-24 °C, \*Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



**HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Mar 24, 2026 12:47:00 PDT**

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Lead	0.5	ND	0.00100/0.00400	Pass
Mercury	3	ND	0.00500/0.0140	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

**Petrifilm- Staphylococcus aureus • Mar 25, 2026 21:02:00 PDT**

Analyte	Limit	Amt	Pass/Fail
Staphylococcus aureus		ND	N/A

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

**Petrifilm-E. Coli • Mar 25, 2026 21:04:00 PDT**

Analyte	Limit	Amt	Pass/Fail
Escherichia coli	Any amt in 1 gram	ND	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

**MICR-002: MICR-002: Petrifilm-Coliforms • Mar 25, 2026 21:05:00 PDT**

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Coliforms	100	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

**MICR-002: MICR-002: Petrifilm-Aerobic • Mar 26, 2026 13:46:00 PDT**

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Aerobic Bacteria	10000	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

**MICR-005, MICR-006: MICR-005, MICR-006: Petrifilm-Rapid Yeast & Mold • Mar 26, 2026 13:48:00 PDT**

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Yeast & Mold	1000	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

**MICR-002: MICR-002: Petrifilm-Salmonella • Mar 26, 2026 13:49:00 PDT**

Analyte	Limit	Amt	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

